








Product / Process Change Notification (PCN)					
<input checked="" type="checkbox"/> Major change <input type="checkbox"/> Minor change					
PCN #: PCN_IndFC_20221116 Affected Series: WE-FC-Series PCN Date: August 16, 2022 Effective Date: November 16, 2022	Change Category: <input checked="" type="checkbox"/> Equipment / Location <input checked="" type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input type="checkbox"/> Product Design <input type="checkbox"/> Shipping / Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software				
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eisos@we-online.com	Data Sheet Change: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Attachment: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
Description and purpose of change: <p>In order to optimize the production capability, Würth Elektronik will relocate the production line. All products with date code 2022-10-10 or later, will be affected by this change. There will be no change in form, fit or function of the product.</p> <p>As a datasheet information amendment and correction, Würth Elektronik will add the leakage inductance and correct the pin numbering.</p>					
Detail of Change: Production Location Neither electrical nor mechanical properties of the part will be changed.					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; padding: 2px;">Old production location</th> <th style="width: 50%; padding: 2px;">New production location</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">Lot number: 401 XXX XXX XXX 000</td> <td style="padding: 2px;">Lot number: 401 XXX XXX XXX 100</td> </tr> </tbody> </table>		Old production location	New production location	Lot number: 401 XXX XXX XXX 000	Lot number: 401 XXX XXX XXX 100
Old production location	New production location				
Lot number: 401 XXX XXX XXX 000	Lot number: 401 XXX XXX XXX 100				

Datasheet Changes

1. Correct the pin numeration to match the schematic





Before Change	After Change
<p>UT20V</p> 	<p>UT20V</p> 
<p>ET20H</p> 	<p>ET20H</p> 

2. Add the Leakage inductance

3. Change of the Rdc value with 15% tolerance to maximum Rdc value

(No change of the part or the electrical values, changes are only for standardization)

4. Add the pin numeration to the Test Setup

Before Change	After Change
<p>According to CISPR 17</p>  <p>Network Analyzer: Keysight E5080A or equivalent</p>	<p>According to CISPR 17</p>  <p>Network Analyzer: Keysight E5080A or equivalent</p>



Reliability / Qualification Summary:

Product approval is according to the specification criteria and is internally released by the Product Management Department.

The following items are part of the internal release process:

- Visual Appearance (Surface, Burr, Contaminations, ...)
- Mechanical Parameters (according as specified in the Datasheet)
- Electrical Parameters (according as specified in the Datasheet)
- Approval of production line